

## AC Fan

Ø254mm

**A25489(3Ø) AC**

89mm thick



### General Specifications

Material	Aluminum Housing, Steel Impeller
Bearings	Maintenance-Free Ball Bearings
Motor Type	AC Induction Capacitor
Connection	Terminals or Lead wire
Dielectric Strength	1800 VAC for 1 Sec.
Insulation Resistance	100 MΩ min.@500VDC
Operating Temperature	-30°C to +85°C
Type of Protection	Insulation Class F , IP54
Safety	Thermally Protected (Auto Restart)



- Steel Impeller
- Weight : 2750 g
- Rohs Compliance

Ø254 x 89 mm

⌋ High Speed ⌋  
⌋ Low Speed ⌋

### Specifications

Model No.	Voltage VAC	Freq Hz	Current A	Power W	Speed rpm	Pressure mmAq	Air Flow CFM	Noise dB
A25489(3Ø)-V2HBL S	230	50/60	0.237/0.258	57/80	2750/3100	21.0/20.0	730/850	66/68
A25489(3Ø)-V3HBL S	380		0.152/0.164	59/82	2750/3100			
A25489(3Ø)-V3SBL S	440		0.187/0.172	67/86	2800/3250	22.5/22.0	750/870	

L : (Lead Wire)

### Dimensions (Unit : mm)

### Air Flow and Static Pressure

